







The Regency City Series of modern gas fireplaces offer unmatched design flexibility, quality, and modern styling. These stunning fireplaces create a unique focal point in your home and provide the calming ambiance of a large fire with just the push of a button.

- TRUE FRAMELESS FIRE & SEAMLESS GLASS BARRIER
- PLACE A TV OR ARTWORK DIRECTLY ABOVE THE FIREPLACE WITH NO LIMITATIONS
- USE ANY MATERIAL RIGHT TO THE EDGE OF THE FIRE, EVEN WOOD OR WALLPAPER
- INDUSTRY'S BEST, MOST COMPREHENSIVE LIMITED LIFETIME WARRANTY



Table of Contents

	> San Francisco Bay	
04	CB40E • CB40EPV	
06	CB60E • CB60EPV	
08	CB72EPV	
	> Chicago Corner	
10	CC40RE • CC40LE • CC40REPV • CC40LEPV	
	CB60E • CB60EPV • CB72EPV with	
12	corner installation kit	
	> New York View	
14	CV40E • CV40EPV	
16	CV72E • CV72EPV	
18	City Series Features	
22	Accessories	
26	Specifications	



San Francisco Bay



CB40E · CB40EPV

Create the look you desire with flexible finishing options, linear design, and stunning log/crystal and flame picture. The San Francisco Bay sparks conversations and welcomes visitors to your home. Enjoy the comfort and ambiance of the unmatched City Series San Francisco 40.

WIDTH	HEIGHT	DEPTH
47"	15-1/16"	14-11/16"





San Francisco Bay



CB60E · CB60EPV

Larger in every sense of the word. The San Francisco Bay 60 is not only larger than other models but also includes taller glass and a significantly larger overall viewing area. Modern, clean design with a large glass viewing area, the San Francisco 60 is sure to take your breath away day-after-day.

WIDTH	HEIGHT	DEPTH
68-1/2"	18"	14-1/2"





San Francisco Bay



CB72EPV

The City Series San Francisco Bay 72 is the largest of our City Series models. The 72 Bay is guaranteed to impress, get your guests talking and create a stunning, one-of-a-kind fireplace. Flexible installation and finishing options make this unit a designers, and homeowners, dream.

WIDTH	HEIGHT	DEPTH
82-13/16"	15"	14-11/16"







Available as either a Left or Right corner unit with flexible venting options, the Chicago Corner 40 is perfect as a standalone design feature, or as a stunning accent in any room. Flexible installation, unlimited finishing options, and limitless potential is possible with the Chicago Corner 40.

WIDTH	HEIGHT	DEPTH
42-15/16"	15-1/16"	14-11/16"





Chicago Corner CB60E, CB60EPV & CB72EPV with Corner Installation Kit



Bring the large luxury of the San Francisco Bay 60 and 72 to your home with our unique corner installation. With a Corner installation kit the Bay 60 or 72 can be transformed to a Chicago Corner creating a stunning large-faced corner unit unlike anything you have ever seen before.





New York View



CV40E · CV40EPV

With it's simple, elegant design the New York View 40 brings the flexibility and beauty of the City Series to any home. A frameless design and stunning flame picture are sure to continue grabbing your attention for years to come.

WIDTH	HEIGHT	DEPTH
38-13/16"	15-1/16"	14-11/16"





New York View



CV72E · CV72EPV

The New York 72 offers an impressively large viewing area. The sheer size of this fireplace is sure to spark conversation, couple that with the stunning flame picture and flexible finishing options and you are able to create a beautiful focal point in any room - large or small!

WIDTH	HEIGHT	DEPTH
72"	15"	14-11/16"






Unlimited Finishes

NO LIMITS. NO RESTRICTIONS.

Designed to maintain a cool wall to accommodate custom finishes right to the edge of your fireplace!

ADVANTAGES

- · Place a TV above the fireplace without it getting damaged
- · Hang artwork without fear of warping
- Paint will not discolor, drywall will not crack
- No internal fans required
- Use any finish right to the edge of the fire, even wood or wallpaper



FRAMELESS FIRE

- An uninterrupted view of the flames
- · Seamlessly integrates into any interior
- Invisible glass safety barrier (patent pending)
- · No frames, mesh or silicone
- Integrated liner panel options and black glass accessories
- · Available in single-sided, two-sided and three-sided designs



Controllable Warmth

FLEXIBLE VENTING OPTIONS

Regency's patent pending cool wall system releases warmth at ceiling level. This system reduces excessive radiant heat in front of the fireplace so you can enjoy your fireplace more often.

- Design your own chase vent solution to suit your home
- · Use optional front or side chase vent grills
- · Release warmth into the room discreetly







COOL WALL SYSTEM

Cool air is drawn into the system around the floating glass safety barrier. Cooler air is then split between the heat exchanger and the inside wall surface.

The air travelling through the heat exchanger is heated by the fireplace and then directed out the back of the fireplace. The combined warmed air is then vented back into the room.



FLUSH POWER VENT

You can now vent City Series models above or below grade with our new flush horizontal power vent wall termination cap. The flush design and ability to be painted allows for seamless integration into the existing exterior of any home.

- · Vent runs up to 72 ft
- · Allows for 7 ft negative vent run below first elbow
- Use up to six 90° elbows or twelve 45° elbows
- · Use flex vent or rigid pipe
- Horizontal power vent wall termination cap can be installed flush or adjusted to the depth of your wall







Can be painted to match any exterior



Accessories

EXTENDED VIEW PANELS

Flush to the wall and reflective, black glass extended view panels focus the eye, create visual balance and amplify flames for maximum impact. A literal expansion of City Series' frameless firebox, extended view panels integrate seamlessly for a striking, modern, linear look.

- Create the illusion of a larger fireplace
- Establish balance on a multi-function fireplace feature wall
- Black glass reflective finish amplifies the flame experience
- Can be used on New York 40 & 72 models to extend the length by 24"



In this photo, the fireplace is overshadowed by a large television, creating a top heavy fireplace feature wall



In this photo, the fireplace achieves visual prominence and balance with the addition of black glass extended view panels

CORNER INSTALLATION KIT

The corner installation kit transforms a San Francisco Bay 60 or 72 into Chicago Corner creating a stunning large-faced corner unit unlike anything you have ever seen before.



Create Your Own Fireplace



COMPACT CHASE FRAMING KIT



EXTENDED CHASE FRAMING KIT



CORNER CHASE STARTER KIT

OPTIONAL FRAMING KITS

40" UNITS	WIDTH	DEPTH	HEIGHT
Compact chase	48-1/2"	18-3/4"	46-3/4" - 87-1/4"
Extended chase	60-1/4"	18-3/4"	54" - 94-3/4"
Extended hearth	68-1/2"	25-1/4"	8-1/2" - 11-1/2"
Corner chase starter kit	49-3/4"	18"	62-7/8" Bottom of unit to top of framing kit

60" UNITS	WIDTH	DEPTH	HEIGHT
Compact chase starter kit	71-5/16"	20-3/8"	78-1/2" Bottom of unit to top of framing kit

72" UNITS	WIDTH	DEPTH	HEIGHT
Compact chase starter kit	82-7/8"	20-3/8"	83-1/2" Bottom of unit to top of framing kit





Regency steel framing kit

FIREBED OPTIONS



Glass Crystals & Split Log Set



Glass Crystals & Volcanic Stones



Glass Crystals & Birch Log Set



Starfire Crystals & Iceberg Crushed Glass



Glass Crystals & Driftwood Log Set



Reflective Black Crystals & Black Coal Crushed Glass

INTERIOR OPTIONS



Matte Black Panels



Premium Reflective Black Glass Panels



Reflective Black Enamel Panels

REMOTE



Proflame II

ACCESSORIES

ACCESSORIES - AT A GLANCE		CB40E • CB40EPV	CB60E • CB60EPV	CB72EPV	CC40RE • CC40LE + PVs	CV40E • CV40EPV	CV72E • CV72EPV	
Clean face design		✓	✓	✓	✓	✓	✓	
		Crystals in various colors	*	*	*	*	*	*
	Firebed	Firebeads in various colors	*	*	*	*	*	*
		Sea wool	✓	✓	✓	✓	✓	✓
		Crushed glass in various colors	*	*	*	*	*	*
	For firebox	Ceramic spa stones	*	*	*	*	*	*
	floor	Volcanic stones	*	*	*	*	*	*
Interior options		Natural river pebbles	*	*	*	*	*	*
		Driftwood log set	*	*	*	*	*	*
	Log set	Split log set	*	*	*	*	*	*
		Birch log set	*	*	*	*	*	*
		Matte black	*	*	*	*	*	*
	Inner panels	Black enamel	*	*	*	*	*	*
		Black glass	*	*	*	*	*	*
Glass safety barı	rier		✓	✓	✓	✓	✓	✓
Extended view si	de panels		•	•	•	•	*	*
Corner installati	on kit		•	✓	✓		•	✓
	Compact chas	e	*	•	•	•	•	•
	Extended cha	se	*	•	•		•	•
Framing kits	Extended hea	rth	*	•	•	•	•	•
	Starter kit		*	*	*	*	•	
Hearth top - blac	ck glass		✓	•	•	•	•	•
TV wiring kit			*	*	*	*	*	*
	Front chase g	rill	*	*	*	*	*	*
Chase grills	Side chase gri	ll 2pk	*	•	•	*	*	
Accent lights			✓	✓	✓	✓	✓	✓
Controls	Proflame II GT	MF	✓	✓	✓	✓	✓	✓
	Direct vent		✓	✓	•	✓	✓	✓
	Power vent		✓	✓	✓	✓	✓	✓
Venting	AstroCap® vei	nting system	*	*	*	*	*	*
-		ower duct system	*	*	*	*	*	*
	Heat Wave ad		*	•	•	*	*	•
Propane convers			*	*	*	*	*	*

[·] Not available

[✓] Standard

[★] Optional

SPECIFICATIONS

> Natural Gas


SPECIFICATIONS - NATURAL GAS		INPUT (BTU)	TURN DOWN TO (BTU)	EFFICIENCY (STEADY STATE)	ENERGUIDE RATING (CANADA ONLY)
	CB40E	28,500	15,500	60.02%	55.23%
	CB40EPV	28,500	15,500	57.73%	60.02%
San Francisco Bay	CB60E	39,000	27,000	60.86%	56.26%
	CB60EPV	39,000	27,000	n/a	n/a
	CB72EPV	46,500	32,000	61.65%	63.37%
Chicago Corner	CC40RE • CC40LE	28,500	15,500	60.02%	55.59%
Chicago Corner	CC40REPV • CC40LEPV	28,500	15,500	57.73%	55.23%
	CV40E	28,500	15,500	60.02%	55.23%
Now York View	CV40EPV	28,500	15,500	57.73%	60.02%
New York View	CV72E	46,500	32,000	61.65%	63.37%
	CV72EPV	46,500	32,000	61.66%	63.39%

> Propane

SPECIFICATIONS - PROPANE		INPUT (BTU)	TURN DOWN TO (BTU)	EFFICIENCY (STEADY STATE)	ENERGUIDE RATING (CANADA ONLY)
San Francisco Bay	CB40E	28,500	15,500	60.70%	56.06%
	CB40EPV	28,500	15,500	58.32%	60.85%
	CB60E	36,000	19,500	61.77%	56.49%
	CB60EPV	36,000	19,500	n/a	n/a
	CB72EPV	45,500	36,000	64.20%	65.51%
Chian de Caman	CC40RE • CC40LE	28,500	15,500	60.70%	56.06%
Chicago Corner	CC40REPV • CC40LEPV	28,500	15,500	58.32%	60.85%
	CV40E	28,500	15,500	60.70%	56.06%
Name Vanla Viana	CV40EPV	28,500	15,500	58.32%	60.85%
New York View	CV72E	45,500	32,000	63.83%	60.61%
	CV72EPV	45,500	36,000	64.20%	65.52%


HEAT DISTRIBUTION KIT


Increase the effectiveness of your fireplace by dispersing warm air from the fireplace to remote locations in the same room or other rooms in your home by using the heat distribution kit.




Specifications


San Francisco Bay units :










Chicago Corner units :









New York View units:









	CB40E • CB40EPV	CB60E • CB60EPV	CB72EPV	CC40RE • CC40LE + PVs	CV40E • CV40EPV	CV72E • CV72EPV
Α	48-7/16"	71-1/4"	82-11/16"	43-5/8"	40"	72"
В	49-5/8"	72-5/16"	83-7/8"	47-3/8"	46-1/4"	77-7/16"
С	11-7/16"	13"	13"	11-7/16"	11-7/16"	13"
D	7-1/4"	7-1/4"	7-3/8"	7-1/4"	7-1/4"	7-3/8"
E	37-3/8"	39-1/4"	46"	37-3/8"	37-3/8"	46"
F	15-1/16"	18"	15-1/16"	15-1/16"	15-1/16"	15-1/16"
G	10-1/2"	10-1/4"	10-1/4"	10-1/2"	10-1/2"	10-1/4"
Н	18-11/16"	20-5/16"	20-3/8"	18-11/16"	18-11/16"	20-3/8"
ı	14-11/16"	16"		14-11/16"		


UNITS	VENTING
CB40E, CB40EPV, CB60EPV, CB72EPV	4" x 6-5/8"
CC40RE/LE, CC40REPV/LEPV	4" x 6-5/8"
CV40E, CV40EPV	4" x 6-5/8"
CB60E, CV72E	5" x 8"
CV72EPV	4" x 6-5/8"

CLEARANCES

San Francisco Bay units:










Full framing with low vents in front or sides

Low framing with vents in front/sides or top







CB40E • **CB60E** • CLEARANCES CB72EPV CB40EPV CB60EPV From Floor Min. 0" Min. 0" Min. 0" Α ** ** ** Mantel Height (min.) A1 В Sidewall (on one side) 8-1/2" 5-7/8" С Enclosure Width (min.) 48-7/16" 71-1/4" 82-11/16" ** ** ** D Mantel Depth (max.) Ε Alcove Width 84" 119-1/2" 120" F Alcove Depth 36" 35" 36" To Enclosure Ceiling (min./max.) G 0 - 3" 0 - 2" 0 - 2"

120 sq. in.

15-1/16"

1-1/2"

63"

36"

19"

180 sq. in.

20-5/16"

18"

1-3/4"

81-1/4"

36"

288 sq. in.

20-3/8"

15-1/16"

2-1/2"

87"

36"

Clearance to Sprinkler Head (min.)

To Ceiling (min.) - All 3 sides

Convection Air Outlet

Enclosure Depth (min.)

Chase Enclosure (min.)

Opening Height

Н

ı


J

Κ

^{**} See mantel clearances chart in the manual.

CLEARANCES


Chicago Corner units :



CLE	ARANCES	CC40RE • CC40LE + PVs		
Α	Mantel Height (min.)	**		
В	Opening Height	15-1/16"		
С	From Floor	Min. 0"		
D	Sidewall (on one side)	Min. 36"		
Ε	Mantel Depth (max.)	**		
F	Alcove Depth	Min. 36"		
G	Convection Air Outlet	120 sq. in.		
Н	Convection Air Outlet Opening Offset	0 - 3"		
ı	Chase Enclosure (min.)	63"		
K	Clearance to Sprinkler Head (min.)	36"		

^{**} See mantel clearances chart in the manual.

New York View units:





CLEARANCES		CV40E • CV40EPV	CV72E • CV72EPV	
Α	Mantel Height (min.)	**	**	
B1	From Floor	Min. 0"	Min. 0"	
B2	Opening Height	15-1/16"	15-1/2"	
С	Sidewall (on one side)	8-1/2"	8"	
D	Mantel Depth (max.)	**	**	
E	Alcove Width	84"	88"	
F	Alcove Depth	36"	36"	
G	Ceiling (in front of fireplace)	37-1/2"	61-3/4"	
Н	Convection Air Outlet	120 sq. in.	288 sq. in.	
J	Convection Air Outlet Opening Offset	0 - 3"	0 - 2"	
K	Chase Enclosure (min.)	63"	87"	
L	Clearance to Sprinkler Head (min.)	36"	36"	

^{**} See mantel clearances chart in the manual.


FRAMING

San Francisco Bay units:






Chicago Corner units:





New York View units:



FRAMING	CB40E • CB40EPV	CB60E • CB60EPV	CB72EPV	CC40RE • CC40LE + PVs	CV40E • CV40EPV	CV72E • CV72EPV
A Framing Height	37-3/8"	41-1/4"	51"	37-3/8"	37-3/8"	51"
B Framing Width	48-1/2"	71-1/4"	82-11/16"	48-1/4"	46-3/4"	78"
C Framing Depth	19"	20-5/16"	20-5/8"	19"	19"	20-5/8"
D Minimum Height to Combustibles	63"	81-1/4"	87"	63"	63"	87"
E Corner Wall Depth	-	-	-	-	55"	82-1/8"
F Corner Facing Wall Width	-	-	-	-	77-3/4"	116-3/16"

Visit www.regency-fire.com for City Series downloads including:

- Specifications
- Detailed drawings
- Manuals
- Framing & clearances





regency-fire.com



©2019 FPI Fireplace Products International Ltd. Regency®, AstroCap® and Heat Wave™ are registered or proprietary trademarks of FPI Fireplace Products International Ltd. All rights reserved. Printed in Canada (11/19) Part No. 944-427

your Regency dealer