

Whether you follow your head or your heart, you'll still end up with a Napoleon.

Fireplaces

| STARfire 40 - HDX40-1 | 4 - 5 |
|--|---------|
| STARfire 52 - HDX52 | 6 - 7 |
| Vector 45 - LHD45 | 8 - 9 |
| Vector 62 - LHD62 | 10 - 11 |
| High Definition 35, 40 & 46 - HD35, HD40, HD46 | 12 - 13 |
| High Definition 81 - HD81 | 14 - 15 |
| Torch" - GT8 | 16 - 17 |
| Vittoria" - GD19 | 18 - 19 |
| Park Avenue" - GD82T-PAE | 20 - 21 |
| Tureen" - GD82T-TE | 22 - 23 |
| Plazmafire 31 - WHD31 | 24 - 25 |
| Crystallo ⁻ - BGD36CFG | 26 - 27 |
| | |
| Napoleon's Outstanding Features | 28 - 29 |
| Detailed Specifications & Line Drawings | 30 - 35 |
| | |

^{*}To view the Ascent fireplace lineup (B30, B35, B42 and BHD4) please see the Ascent Brochure: ADBR999



The STARfire 40 shown with premium scalloped steel door and Newport brick panels, see page 4 for more information



Why Napoleon?

Making your life easier... Napoleon fireplaces are designed to provide you absolute comfort and control at the touch of your fingertips. It's that easy. When you install a Napoleon direct vent gas fireplace, you can rest assured that you will enjoy a lifetime of instant ambiance with reliable performance year after year.

An investment you can count on... Your new Napoleon fireplace adds value to your home while at the same time giving you uncompromising comfort. Aside from kitchen and bathroom renovations, fireplaces add the highest return on your home investment.

Create your personal design statement... Surround yourself with a home environment that makes you feel good, relaxed and proud to reflect your decorating style. Hundreds of designer options are available to create the exact statement you have been looking for.

Highest efficiencies, maximum comfort... Years of research, design and testing have enhanced optimum performance allowing many Napoleon products to achieve some of the highest heater rated efficiencies on the market. Napoleon continuously surpasses industry standards not only in appearance but in efficiency and performance. See the benefits of Zone Heating on page 32.

Beautiful fires, best flame in the industry... With advanced burner technology and innovative design, Napoleon's flame and exclusive PHAZER' log sets are so realistic it's hard to tell the difference from a real wood burning fire.

No power? No problem!... We all feel vulnerable when the power goes out. Now you can weather out the storm in the comfort of your own home! A Napoleon gas fireplace requires no electricity to light or operate, a built-in millivolt system or electronic ignition with battery back-up ensures reliability even during power failures.

Authorized dealer support network... With over 3,000 reputable authorized dealers across North America, Napoleon works hard to provide professional, consistent training and technical education to support our dedicated team of professionals.

Outstanding reliable warranty... Each and every Napoleon fireplace is designed and manufactured to strict quality testing standards and backed by the President's Limited Lifetime Warranty, guaranteed to give you the solid performance you deserve. Napoleon is registered under the world recognized ISO 9001-2008 quality system.



We are proud to be recognized as one of Canada's Best Managed Companies and are dedicated to providing quality, home comfort products for over 38 years and counting.

STARfire[™] 40

Inspired Design

Created with Napoleon's state-of-the-art gas fireplace technology, the STARfire 40 offers the ultimate in performance and design. The clean face front allows a full view of the impressive 40" wide firebox with your choice of either fine detailed PHAZER® logs and charcoal embers or a river rock ember bed. The STARfire 40 comes complete with a modulating remote (controls heat, optional blower, exclusive NIGHT LIGHT), fuel saving electronic ignition with battery back-up and built-in flame/heat control making the STARfire 40 a perfect investment for your lifestyle and your home.

HDX40 Up to 40,000 BTU's 54% flame/heat adjustment 40 1/4"w x 41"h Natural gas or propane

For more detailed specifications on this unit, see page 30



Four-Sided Frame



Premium Scalloped Steel Door









Remote Control (Standard)



Exclusive NIGHT LIGHT









The STARfire 40 shown with four-sided frame and MIRRO-FLAME porcelain reflective radiant panels



Decorative Sandstone **Brick Panels**







Mayan Desert Newport Deluxe MIRRO-FLAME
Sandstone Brick Panels Decorative Brick Panels Porcelain Reflective
Radiant Panels



Complete with Safety Barrier



River Rock Media Kits with Satin Chrome Decorative Fender Two Color Options*



STARfire[™] 52

Inspired Design

Created with Napoleon's state-of-the-art gas fireplace technology, the STARfire 52 offers a wide range of heat output and advanced burner technology that produces a massive concentrated flame that reaches high in the firebox creating a glowing ambiance throughout the interior. "Easy Slide" door glides into place with kitchen drawer style door glides - a Patent Pending design. The realistic hand painted PHAZER® log set is rich in colour and detail. Napoleon's STARfire® 52 is a one of a kind fireplace that you will be proud to show to family and friends! The perfect fit for great rooms and large family rooms or for anyone looking to make a statement in their home.

HDX52 Up to 55,000 BTU's 54% flame/heat adjustment 56 7/8"w x 54 13/16"h Natural gas or propane

For more detailed specifications on this unit, see page 30

Options & Accessories



Six Colors Available



Alternate Glass Media Kits & Glass Enhancement Kits











(Standard)



Remote Control



Decorative Rectangular Surround - Wrought Iron



Decorative Arched Surround - Wrought Iron



Decorative Front *Can also be added to surrounds above



Two Exclusive NIGHT LIGHT's







Antique White Ledgerock
Decorative Brick Panels
Decorative Brick Panels
Decorative Brick Panels
Decorative Brick Panels



Herringbone Decorative Brick Panels



Black MIRRO-FLAME Porcelain Reflective Radiant Panels



Radiant Panels



Cappucino MIRRO-FLAME Platinum MIRRO-FLAME Porcelain Reflective Radiant Panels



Complete with Safety Barrier



Fire Cradle Burner comes standard with Topaz CRYSTALINE ember bed



Vector[™] 45

Sophisticated Fires

Napoleon's Vector 45 is a modern linear gas fireplace that offers a sophisticated, "widescreen" fire element in any room of your home. The Vector 45 comes standard with electronic ignition with battery back-up and Napoleon's exclusive Topaz CRYSTALINE" ember bed that sparkles with a luxurious glow. To create a dramatic mix, optional river rocks, coloured glass, driftwood log set and designer fire art are available to replace or enhance the Topaz CRYSTALINE" ember bed.

LHD45 24.000 BTU's 51"w x 19 ½"h Natural gas or propane

For more detailed specifications on this unit, see page 31



















GEO Shapes Media Enhancement Kit



Linear Frame - Grey



Deluxe 4-Sided Surround - Painted Gloss Black



Deluxe 4-Sided Surround - Painted Gloss White



Premium 4-Sided Surround - Brushed Stainless Steel




Basic 4-Sided Surround - Painted Flat Black



F45 & F60 Remote Controls On/off or modulating







The Vector 45 shown with Linear Frame in grey and Topaz CRYSTALINE ember bed



MIRRO-FLAME Porcelain Reflective Radiant Panels



Complete with Safety Barrier



Driftwood Log Set (logs and six river rocks included)



River Rock Media Kits Two Colour Options*



Vector[™] 62

Effortlessly Integrates with Your Style

A dynamic 62" linear direct vent gas fireplace that can be installed in both residential or commercial applications. With various media enhancement kits and decorative options to choose from, the Vector 62 becomes a focal point in any room. The Vector 62 comes standard with a Topaz CRYSTALINE ember bed, remote control, MIRRO-FLAME Porcelain Reflective Radiant Panels and electronic ignition making it the perfect fireplace for lobbies, entranceways, hallways, bars, lounges, living rooms and more.

LHD62 Up to 50,000 BTU's 50% flame/heat adjustment 70"w x 22"h Natural gas or propane

For more detailed specifications on this unit, see page 31



Premium 4-Sided Surround - Brushed Stainless Steel



Deluxe 4-Sided Surround - Painted Gloss Black

Options & Accessories















Designer Fire Art Metal Coil Design



Remote Control (standard)

Six Colors Available

Alternate Glass Media Kits & Glass Enhancement Kits



The Vector 62 shown with brushed stainless steel premium 4-sided surround and Topaz CRYSTALINE ember bed



MIRRO-FLAME Porcelain Reflective Radiant Panels



Decorative California Sun Fluted Brick Panels



Complete with Safety Barrier



Driftwood Log Set



Rock Kit



High Definition 35, 40 & 46

Experience a New Dimension of Fire and Space

The clean face frame of the High Definition 35, 40 & 46 maximizes the viewing area so the realistic flames and PHAZER° log set are enjoyed to their fullest. Contemporary or traditional decorative accessories are available to complement any décor. These fireplaces are equipped with fuel saving electronic ignition with battery back-up and Napoleon's advanced burner technology. The simple yet sophisticated design of Napoleon's High Definition 35, 40 & 46 fireplaces provide every comfort a homeowner needs to create a relaxing environment. Perfect for any room in your home.

HD35 Up to 25,000 BTU's 43% flame/heat adjustment 35 1/4"w x 33 3/4"h Natural gas or propane

HD40 Up to 27,000 BTU's 43% flame/heat adjustment 40 1/4"w x 33 3/16"h

Natural gas or propane

HD46 Up to 30,000 BTU's 43% flame/heat adjustment 46 1/4"w x 33 3/4"h Natural gas or propane

For more detailed specifications on these units, see page 32



Options & Accessories



Five Colors Available

Glass Media Enhancement Kits











F45 & F60 Remote Controls On/off or Modulating



Andirons Painted Black Finish



GEO Shapes Media Enhancement Kit





The High Definition 40 shown with River Rock media kit, painted black andirons and MIRRO-FLAME Panels



Decorative Sandstone **Brick Panels**



MIRRO-FLAME Porcelain Reflective **Radiant Panels**



Complete with Safety Barrier



River Rock Media Kits with Satin Chrome Decorative Fender
Two Color Options*



The High Definition 46 shown with MIRRO-FLAME Panels




High Definition 81

Two Exceptional Views

The first See Thru fireplace in the industry to offer such dynamic choices for firebox design options. The High Definition 81 features Napoleon's exclusive NIGHT LIGHT" that radiates a warm glow into the room(s) even when the fireplace is off and a split burner system that produces beautiful YELLOW DANCING FLAMES°. Besides supplying two rooms with exceptional focal points, the High Definition 81 also offers the choice of a traditional PHAZER® log set, a modern CRYSTALINE ember bed or a glowing river rock setting. One fireplace, two rooms, exceptional views!

HD81 Up to 60,000 BTU's 72% flame/heat adjustment 40 %"w x 34 1/4"h Natural Gas or propane

For more detailed specifications on these units, see page 33



Black Trim



Brushed Nickel Faceplate



Brushed Copper Faceplate

Options & Accessories



Six Colors Available



Alternate Glass Media Kits & Glass Enhancement Kits











Exclusive NIGHT LIGHT







Remote Control (Standard)





The High Definition 81 shown with log burner, Sandstone brick panels and black trim



The High Definition 81 shown with glass burner, MIRRO-FLAME Panels and brushed nickel faceplate



Decorative Sandstone **Brick Panels**



MIRRO-FLAME Porcelain Reflective **Radiant Panels**



Complete with Safety Barrier



Glass Burner comes standard with Topaz CRYSTALINE emberbed





River Rock Media Burner PHAZER® Logset Burner



Torch[™]

Modern Simplicity

Napoleon's Torch" is an ultra modern direct vent gas fireplace with a slim design featuring a reflective, prism shaped firebox. The simplicity of the single luminous flame glows with artistic character. The perfect accent for bedrooms, bathrooms, kitchens, entranceways, hallways, offices, bars, lounges and waiting rooms. Versatile installations make the Torch" ideal for new construction and renovation projects, especially where space is limited.

GT8 6,000 BTU's 15"w x 49 "1/16"h Natural gas or propane

For more detailed specifications on this unit, see page 33



LED Accent Light Kit Four Lights Included



Adjustable Mounting Cabinets Two Colour Options



Push Button Auto Ignition



Painted Metallic Black Front



Brushed Stainless Steel Front











Vittoria™

Sleek, Tall and Slender

With its sleek, tall, slender design, the Vittoria gas fireplace easily installs into smaller wall applications... perfect for entranceways and corner wall installations. With the choice of a traditional log set and facing kits or a river rock setting and contemporary facing kits, the Vittoria offers two entirely different looks. The Vittoria features Napoleon's exclusive NIGHT LIGHT, electronic ignition with battery back-up and heat radiating ceramic glass. Either choice, traditional or modern, the Vittoria is the perfect fireplace for smaller living spaces.

GD19

Up to 11,500 BTU's 45% flame/heat adjustment (natural gas model only) 21"w \times 34 $\frac{1}{4}$ "h Natural gas or propane

For more detailed specifications on this unit, see page 34



Contemporary Facing Kit Painted Black



Contemporary Facing Kit Brushed Stainless Steel



Traditional Facing Kit Painted Metallic Black



Traditional Facing Kit Hammertone Pewter



Ornamental Insets Painted Metallic Black Finish



River Rock Burner Assembly



Exclusive NIGHT LIGHT



F45 & F60 Remote Controls On/off or Modulating





The Vittoria shown with brushed stainless steel contemporary facing kit, River Rock burner assembly and MIRRO-FLAME porcelain reflective radiant paneks



Decorative Sandstone Brick/Stone Panels



MIRRO-FLAME Porcelain Reflective Radiant Panels



Complete with Safety Barrier



Park Avenue™

European Styling

This tall, dark, handsome fireplace features a unique, clean design with advanced burner technology, creating the most realistic flames in the industry. The Park Avenue deluxe model is offered as a complete package including an exclusive NIGHT LIGHT, heat circulating blower, multi-function remote control (controlling the flame, blower and NIGHT LIGHT) and PHAZERAMIC advanced flame burner technology. Exclusive designer accessories make the Park Avenue perfect for any room in your home.

GD82T-PAE Up to 26,000 BTU's 50% flame/heat adjustment 27 %"w x 34 %" Natural gas or propane

For more detailed specifications on this unit, see page 34



Exclusive NIGHT LIGHT



Andirons Two Style Options*



Remote Control (Standard)



Brushed Stainless Steel Surround & Hearth Kit



Arched Facing Kit Heritage Pattern



Rectangular Facing Kit Painted Black Finish





The Park Avenue shown with arched facing kit in painted black and Sandstone Herringbone decorative brick panels







MIRRO-FLAME^{*} Porcelain Reflective Radiant Panels



Complete with Safety Barrier



Tureen

Style and Elegance

Combining style, modernism and elegance into one fireplace, the Tureen" was the first in the Modern Collection of direct vent gas fireplaces. Napoleon's Tureen" features a totally unique modern style, a heavy gauge Medallion" burner system, an exclusive NIGHT LIGHT", stylish river rocks and a remarkable towering flame. The contemporary ceramic bowl, decorative accessories and concave satin chrome reflective panel give the Tureen" its impressive design, certain to create a dynamic and extraordinary focal point wherever it is installed.

GD82T-TE Up to 26,000 BTU's 50% flame/heat adjustment 42 ³/₄"w x 66"h Natural gas or propane

For more detailed specifications on this unit, see page 34



Remote Control (standard)



Brushed Stainless Steel Surround & Hearth Kit



Arched Facing Kit Heritage Pattern



Rectangular Facing Kit Painted Black Finish





The Tureen shown with brushed stainless steel surround and hearth







Complete with Safety Barrier



Plazmafire[™] 31

Easy Installation

Ideal for modern and contemporary rooms, Napoleon's WHD31 Plazmafire features easy installation and all of the conveniences of a direct vent gas fireplace. Virtually endless installation possibilities and almost as easy as hanging a picture on the wall. With an impressive 30" x 15" viewing area, 20,000 BTU's, exclusive Topaz CRYSTALINE" ember bed and slate brick panels, Napoleon's Plazmafire" is a great addition to our modern fireplace collection and to any room in your home.

WHD31

20.000 BTU's

Convex Surround: 48 % "w x 29 1/2 "h Rectangular Surround: 43 1/16"w x 28"h

Natural gas or propane

For more detailed specifications on this unit, see page 35

Options & Accessories



Six Colors Available



Alternate Glass Media Kits & Glass Enhancement Kits

















Brushed Stainless Steel Convex Surround



Stainless Steel Rectangular Surround



Painted Black Rectangular Surround



F45 & F60 Remote Controls On/off or modulating









Complete with Safety Barrier



Crystallo[™]

It's Crystal Clear...

A clean face design with an exclusive CRYSTALINE* ember bed embraces Napoleon's new collection of modern fireplaces. The Crystallo provides inspiration to create a hearth experience that focuses on warmth, beauty and style. The Crystallo" comes standard with MIRRO-FLAME" Porcelain Reflective Radiant Panels and a multi-function LED spectrum light strip. The LED light strip transitions through the entire RGB colour range or can be set to any colour (including white) that suits your décor and act as an exclusive NIGHT LIGHT. A unique hearth idea that sparkles with modern elegance!

BGD36CFG

Up to 17,000 BTU's 40% flame/heat adjustment 42"w x 38"h Natural gas or propane

TECHNOLOGY

LOW ENERGY



Diamond Dust Convex Surround

Options & Accessories





For more detailed specifications on this unit, see page 35















F45 & F60 Remote Controls On/off or modulating



Glass Media Enhancement Kits



The Crystallo shown with convex surround in diamond dust pewter finish and LED lights set on blue



MIRRO-FLAME Porcelain Reflective Radiant Panels (standard)



Complete with Safety Barrier



LED Spectrum Light Strip
The LED lights transition through an array of colours based on an RGB colour spectrum
(sample of the multitude of colours, the entire bed will be the same colour)



Outstanding Features

of Napoleon's Advanced Technology











Advanced Burner Technology

Napoleon's sophisticated burner system offers superior flame technology. Strategically placed burner ports create the most realistic YELLOW DANCING FLAMES* in the industry.

Finely Tuned Precision Valves

Surrounded with a protective cast aluminum jacket, the precision valves allow for ultimate reliability and 100% SAFE GUARD gas control system.

Minimum 30% savings on heating costs with Zone Heating

Zone Heating means you are heating the rooms that you use the most with an alternate heat source, like a Napoleon* heater rated gas fireplace. Zone Heating is the obvious solution for families concerned about rising fuel costs.

Outstanding Craftsmanship

Fine details are designed in every aspect of Napoleon fireplaces... individually handcrafted with pride of excellence to last a lifetime.

Safety Screens


Napoleon*, leaders in design & technology have developed safety screens with aesthetically pleasing designs for every gas appliance to ensure ultimate safety and peace of mind for your family.

Outstanding Features

of Napoleon's Direct Vent Technology

Direct Vent System

- 1. Zero clearance to combustible framing*
- 2. Forced convection heated room air
- 3. Radiant heat
- High Heat Ceramic or Tempered Glass increases the radiant heat that is dispersed throughout the room.
 Save up to 30% on energy costs with radiant heat and Zone Heating
- Cool room air is naturally drawn through the lower opening, circulates around the firebox, and expels into the living space as warm air
- 6. Optional air circulating variable speed blower with high temperature bearings increases efficient heating
- 7. Advanced ceramic burner system (selected models)
- MIRRO-FLAME⁻ Porcelain Reflective
 Radiant Panels further increase radiant
 heat (optional on most models)
- Advanced burner technology produces the most realistic flames in the industry
- 10. Sealed combustion chamber
- 11. Optional rear exhaust (selected models)



- 12. Efficient heat exchange system
- 13. Combustion air inlet
- 14. Flue gas outlet


With over 35 years of research and development, Napoleon* has perfected direct vent technology to offer you a fireplace, stove or insert that easily fits into your lifestyle.

With Napoleon's direct vent technology, you can design and install your fireplace in unique locations where it wasn't possible before with traditional masonry fireplaces. Even your basement can be transformed into a warm, inviting oasis for your family and friends to enjoy.

Whether you are renovating, building or replacing an inefficient fireplace product, Napoleon* helps guide you in the right direction to find the product that's right for you and your home. Napoleon* Fireplaces are a smart investment that will bring many years of affordable luxury to you and your family.

*See installation manual for details

Direct Vent Power Venting System



- Suitable for exhaust products with various vent diameters
- Installation friendly maintenance free durable construction
- Blower mounted outside at terminal with WHISPER QUIET operation inside
- Terminates above or below the fireplace to allow more freedom and versatility for direct vent installations
- 5. No hoses to terminal
- 6. Ability to "snake" either up, down or around objects (ie; behind stairways)


Napoleon's power venting system allows more freedom and versatility for direct vent installations. The option of having the termination above or below the fireplace, along with the ability to "snake" either up or down, allows installation when the desired fireplace location is a great distance away from an outside wall. The blower that pulls the burned gases from the fireplace is mounted outside at the terminal which provides WHISPER QUIET operation inside the home.

Available for Select Models

STARfire 40

Shown on pages 4 & 5

*Fronts/Surrounds may change unit dimensions




| Model | BTU's | (Input) | Venting | He | ight | Front | Width | De | pth | Glass Type | Glas | s Size | Glass Area (sq. in.) | | Efficiencies | | Blower | Mobile Home Certified | Electronic Ignition |
|---------|-------------|---------|---------|--------|---------|---------|---------|---------|---------|---------------|--------|--------|-------------------------|-----------|--------------|--------------|----------|--------------------------|------------------------|
| | Natural Gas | Propane | | Actual | Framing | Actual | Framing | Actual | Framing | 1700 | Height | Width | (34. 111.) | EnerGuide | AFUE | Steady State | | Cormitou | igiiiioii |
| HDX40-1 | 40,000 | 36,000 | Тор | 41" | 41 1/4" | 40 1/4" | 40 3/4" | 20 1/2" | 20 1/4" | Ceramic | 28" | 36" | 1008 | 56.6% | 59.5% | 61.5% | Optional | Yes | Yes |

Certified under Canadian and American National Standards.

STARfire 52

Shown on pages 6 & 7

*Fronts/Surrounds may change unit dimensions




| Model | BTU's | (Input) | Venting | Hei | ight | Front | Width | De | pth | Glass Type | Glass | Size | Glass Area (sq. in.) | | Efficiencies | | Blower | Mobile Home Certified | Electronic Ignition |
|-------|-------------|---------|---------|-----------|---------|---------|---------|---------|---------|---------------|---------|---------|-------------------------|-----------|--------------|--------------|----------|--------------------------|------------------------|
| | Natural Gas | Propane | | Actual | Framing | Actual | Framing | Actual | Framing | 1700 | Height | Width | (34. 111.) | EnerGuide | AFUE | Steady State | | Cormina | igillion |
| HDX52 | 55,000 | 55,000 | Тор | 54 13/16" | 55 1/4" | 56 7/8" | 57 3/8" | 29 1/8" | 29 3/8" | Ceramic | 37 1/2" | 41 3/4" | 1566 | 65.2% | - | 53.6% | Optional | Yes | Yes |

Vector 45 - LHD45

Shown on pages 8 & 9

*Fronts/Surrounds may change unit dimensions




| Model | BTU's (| Input) | Venting | Hei | ight | Front | Width | De | pth | Glass Type | Glass | Size | Glass Area (sq. in.) | | Efficiencies | | Blower | Mobile Home Certified | Electronic Ignition |
|-------|-------------|---------|---------|-----------|---------|---------|---------|---------|---------|---------------|-----------|---------|-------------------------|-----------|--------------|--------------|----------|--------------------------|------------------------|
| | Natural Gas | Propane | | Actual | Framing | Actual | Framing | Actual | Framing | 1,750 | Height | Width | (34. 111.) | EnerGuide | AFUE | Steady State | | commou | igillion |
| LHD45 | 24,000 | 24,000 | Тор | 40 13/16" | 41 1/4" | 46 1/4" | 46 3/4" | 19 7/8" | 20 1/8" | Tempered | 17 13/16" | 40 7/8" | 728 | 52% | - | 72% | Optional | Yes | Yes |

Certified under Canadian and American National Standards.

Vector 62 - LHD62

Shown on pages 10 & 11


*Fronts/Surrounds may change unit dimensions




| Model | BTU's | (Input) | Venting | Hei | ight | Front | Width | De | pth | Glass Type | Glas | s Size | Glass Area (sq. in.) | | Efficiencies | | Blower | Mobile Home Certified | Electronic Ignition |
|-------|-------------|---------|---------|---------|---------|---------|---------|---------|---------|---------------|---------|---------|-------------------------|-----------|--------------|--------------|--------|--------------------------|------------------------|
| | Natural Gas | Propane | | Actual | Framing | Actual | Framing | Actual | Framing | 1,750 | Height | Width | (34. 111.) | EnerGuide | AFUE | Steady State | | Commod | igillion |
| LHD62 | 50,000 | 50,000 | Тор | 76 1/2" | 96" | 66 1/2" | 81" | 26 1/2" | 27" | Ceramic | 18 1/2" | 61 5/8" | 1141 | 55.3% | - | 62% | N/A | Yes | Yes |

High Definition 35Shown on pages 12 - 13

*Fronts/Surrounds may change unit dimensions






| Model | BTU's | (Input) | Venting | He | ight | Front | Width | De | epth | Glass Type | Glass | s Size | Glass Area (sq. in.) | | Efficiencies | | Blower | Mobile Home Certified | Electronic Ignition |
|-------|-------------|---------|---------|--------|---------|---------|---------|---------|---------|---------------|---------|---------|-------------------------|-----------|--------------|--------------|----------|--------------------------|------------------------|
| | Natural Gas | Propane | | Actual | Framing | Actual | Framing | Actual | Framing | 1700 | Height | Width | \3q. III./ | EnerGuide | AFUE | Steady State | | Common | igillion |
| HD35 | 25,000 | 25,000 | Тор | 41" | 41 1/4" | 35 1/4" | 35 3/4" | 20 1/2" | 20 1/4" | Tempered | 28 1/8" | 31 1/4" | 879 | 63.3% | 64.4% | 82.1% | Optional | Yes | Yes |

Certified under Canadian and American National Standards.


High Definition 40

Shown on pages 12 & 13

*Fronts/Surrounds may change unit dimensions








| Model | BTU's (| Input) | Venting | Hei | ight | Front | Width | De | pth | Glass Type | Glass | s Size | Glass Area (sq. in.) | | Efficiencies | | Blower | Mobile Home Certified | Electronic Ignition |
|-------|-------------|---------|---------|--------|---------|---------|---------|---------|---------|---------------|--------|--------|-------------------------|-----------|--------------|--------------|----------|--------------------------|---------------------|
| | Natural Gas | Propane | | Actual | Framing | Actual | Framing | Actual | Framing | .,,,, | Height | Width | (54)) | EnerGuide | AFUE | Steady State | | | ·9 |
| HD40 | 27,000 | 27,000 | Тор | 41" | 41 1/4" | 40 1/4" | 40 3/4" | 20 1/2" | 20 1/4" | Tempered | 28" | 36" | 1008 | 64.3% | 65.6% | 76.3% | Optional | Yes | Yes |


Certified under Canadian and American National Standards.


High Definition 46

Shown on pages 12 & 13

*Fronts/Surrounds may change unit dimensions








| Model | BTU's (| Input) | Venting | Hei | ight | Front | Width | De | pth | Glass Type | Glass | Size | Glass Area (sq. in.) | | Efficiencies | | Blower | Mobile Home Certified | Electronic Ignition |
|-------|-------------|---------|---------|--------|---------|---------|---------|---------|---------|---------------|--------|-------|-------------------------|-----------|--------------|--------------|----------|--------------------------|------------------------|
| | Natural Gas | Propane | | Actual | Framing | Actual | Framing | Actual | Framing | .,,,,, | Height | Width | (54,) | EnerGuide | AFUE | Steady State | | 30111104 | ·9 |
| HD46 | 30,000 | 30,000 | Тор | 41" | 41 1/4" | 46 1/4" | 46 3/4" | 20 1/2" | 20 1/4" | Tempered | 28" | 42" | 1176 | 65.1% | 67.7% | 79.2% | Optional | Yes | Yes |

High Definition 81Shown on pages 14 & 15

*Fronts/Surrounds may change unit dimensions




| Model | BTU's (| Input) | Venting | Hei | ght | Front | Width | De | pth | Glass Type | Glass | Size | Glass Area (sq. in.) | | Efficiencies | | Blower | Mobile Home Certified | Electronic Ignition |
|-------|-------------|---------|---------|---------|---------|--------|---------|---------|---------|---------------|---------|---------|-------------------------|-----------|--------------|--------------|----------|--------------------------|------------------------|
| | Natural Gas | Propane | | Actual | Framing | Actual | Framing | Actual | Framing | .,,,, | Height | Width | (54)) | EnerGuide | AFUE | Steady State | | | .9 |
| HD81 | 60,000 | 50,000 | Тор | 40 3/8" | 49 1/4" | 52" | 54 3/4" | 24 5/8" | 23 5/8" | Ceramic | 30 3/4" | 36 3/4" | 2260 | 65% | 68 % | 67% | Optional | Yes | Yes |

Certified under Canadian and American National Standards.

Torch[®]

Shown on pages 16 & 17

*Fronts/Surrounds may change unit dimensions





| Model | BTU's (| (Input) | Venting | Hei | ight | Front | Width | De | pth | Glass Type | Glass | s Size | Glass Area (sq. in.) | | Efficiencies | | Blower | Mobile Home Certified | Electronic Ignition |
|-------|-------------|---------|---------|---------|---------|--------|---------|--------|---------|---------------|--------|---------|-------------------------|-----------|--------------|--------------|--------|--------------------------|------------------------|
| | Natural Gas | Propane | | Actual | Framing | Actual | Framing | Actual | Framing | 1,700 | Height | Width | (34) | EnerGuide | AFUE | Steady State | | commod | igiiiioii |
| GT8 | 6,000 | 6,000 | Rear | 43 3/4" | 44 1/4" | 12" | 14 1/2" | 6 3/4" | 7" | Ceramic | 26" | 10 1/2" | 273 | 58% | - | 78% | N/A | Yes | Yes |


Vittoria[™]

Shown on pages 18 & 19

*Fronts/Surrounds may change unit dimensions








| Model | BTU's (| Input) | Venting | He | ight | Front | Width | De | pth | Glass Type | Glass | s Size | Glass Area (sq. in.) | | Efficiencies | | Blower | Mobile Home Certified | Electronic Ignition |
|-------|-------------|---------|----------|---------|---------|---------|---------|--------|---------|---------------|--------|---------|-------------------------|-----------|--------------|--------------|----------|--------------------------|------------------------|
| | Natural Gas | Propane | | Actual | Framing | Actual | Framing | Actual | Framing | 1700 | Height | Width | (54. 111.7 | EnerGuide | AFUE | Steady State | | Cornillou | igillion |
| GD19 | 11,500 | 11,000 | Top/Rear | 34 1/8" | 34 3/8" | 21 3/4" | 22 1/4" | 13" | 13 1/4" | Ceramic | 24" | 16 5/8" | 399 | 55.9% | - | 75% | Optional | Yes | Yes |


Certified under Canadian and American National Standards. This product has a design registration. Wolf Steel Ltd ①


Park Avenue

Shown on pages 20 & 21

*Fronts/Surrounds may change unit dimensions








| Model | BTU's | (Input) | Venting | Hei | ight | Front | Width | De | pth | Glass Type | Glass | Size | Glass Area (sq. in.) | | Efficiencies | | Blower | Mobile Home Certified | Electronic Ignition |
|-----------|-------------|---------|---------|--------|---------|--------|---------|---------|---------|---------------|--------|-------|-------------------------|-----------|--------------|--------------|----------|--------------------------|------------------------|
| | Natural Gas | Propane | | Actual | Framing | Actual | Framing | Actual | Framing | 1,700 | Height | Width | (34. 111.) | EnerGuide | AFUE | Steady State | | commod | igillion |
| GD82T-PAE | 26,000 | 26,000 | Тор | 58" | 58 1/4" | 28" | 29" | 22 1/8" | 22 1/2" | Ceramic | 29" | 22" | 638 | 54.4% | 56% | 62% | Standard | Yes | Yes |


Certified under Canadian and American National Standards.


Tureen

Shown on pages 22 & 23

*Fronts/Surrounds may change unit dimensions








| Mo | odel | BTU's (Input) | | Venting | Venting Height | | Front Width | | Depth | | Glass Type | Glass Size | | Glass Area (sq. in.) | Efficiencies | | | Blower | Mobile Home Certified | Electronic Ignition |
|-----|--------|---------------|---------|---------|----------------|---------|-------------|---------|---------|---------|---------------|------------|-------|-------------------------|--------------|------|--------------|----------|--------------------------|------------------------|
| | | Natural Gas | Propane | | Actual | Framing | Actual | Framing | Actual | Framing | 1700 | Height | Width | (54. 111.) | EnerGuide | AFUE | Steady State | | Commou | igillion |
| GD8 | 32T-TE | 26,000 | 26,000 | Тор | 58" | 58 1/4" | 28" | 29" | 22 1/8" | 22 1/2" | Ceramic | 29" | 22" | 638 | 54% | 56% | 62% | Included | Yes | Yes |

Plazmafire 31

Shown on pages 24 & 25

*Fronts/Surrounds may change unit dimensions





| Model | BTU's (Input) | | Venting | Height | | Front Width | | Depth | | Glass Type | Glass Size | | Glass Area (sq. in.) | | Efficiencies | | Blower | Mobile Home Certified | Electronic Ignition |
|------------------------|---------------|---------|---------|----------|---------|-------------|---------|---------|---------|---------------|------------|---------|-------------------------|-----------|--------------|--------------|--------|--------------------------|------------------------|
| | Natural Gas | Propane | | Actual | Framing | Actual | Framing | Actual | Framing | 1,400 | Height | Width | (54. 111.) | EnerGuide | AFUE | Steady State | | Common | igillion |
| WHD31 - Rectangular | 20,000 | 16,000 | Rear | 28" | N/A* | 43 5/16" | N/A* | 87/16" | N/A* | Ceramic | 16 1/2" | 31 1/2" | 520 | 65.2% | 68.6% | 68.9% | N/A | Yes | Yes |
| WHD31 - Convex | 20,000 | 16,000 | Rear | 28 7/16" | N/A* | 48 3/8" | N/A* | 10 3/4" | N/A* | Ceramic | 16 1/2" | 31 1/2" | 520 | 65.2% | 68.6% | 68.9% | N/A | Yes | Yes |


Certified under Canadian and American National Standards.

Crystallo" - BGD36CFG

Shown on pages 26 - 27







| Model | BTU's (Input) | | Venting | Height | | Front Width | | Depth | | Glass Type | Glass Size | | Viewing Area (sq. in.) | Efficiencies | | | Blower | Mobile Home Certified | Electronic Ignition |
|-----------|---------------|---------|----------|---------|---------|-------------|---------|--------|---------|---------------|------------|---------|---------------------------|--------------|------|--------------|----------|--------------------------|------------------------|
| | Natural Gas | Propane | | Actual | Framing | Actual | Framing | Actual | Framing | .,,,, | Height | Width | (34) | EnerGuide | AFUE | Steady State | | Cormiou | igillion |
| Crystallo | 17,000 | 17,000 | Top/Rear | 38 1/2" | 38 3/4" | 40" | 40 1/2" | 17" | 17 1/4" | Tempered | 19" | 31 1/4" | 592 | 59.4% | 53% | 64% | Optional | Yes | Yes |

^{*}Fronts/Surrounds may change unit dimensions



Fireplace Inserts • Charcoal Grills • Gas Fireplaces • Mantels • Wood Stoves Hybrid Furnaces • Electric Fireplaces • Heating & Cooling • Gas Grills



24 Napoleon Road, Barrie, Ontario, Canada L4M 0G8 103 Miller Drive, Crittenden, Kentucky, USA 41030 7200 Trans Canada Highway, Montreal, Quebec, Canada H4T 1A3

Tel: 705-721-1212 Fax: 705-722-6031 napoleonfireplaces.com














Canadă

Authorized Dealer

Consult your owner's manual for complete installation instructions and proper clearances to combustible materials. Check all local and national building codes and gas regulations. All specifications are subject to change without prior notice due to on-going product improvements. Products may not be exactly as shown. Flame height and activity is influenced by varying vent configurations and may not appear as shown. Napoleon' is a registered trademark of Wolf Steel Ltd. © Wolf Steel Ltd. EnerGuide - A Canadian efficiency standard based on frequent, short start-up and cool-down cycles. All appliances sold in Canada are subject to this EnerGuide rating system. AFUE- A US efficiency standard (Department of Energy) based on extended on/off cycles, more typical of fireplace usage. Steady State - Reflects the highest possible overall heating efficiency. Product images may vary due to safety barrier regulations coming into effect January 2015.